ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 617–618 (2001) 755–756

Journal of Organometallic Chemistry

Author Index of Volumes 617–618

Ajioka, Y., 601
Akita, M., 254
Alijah, A., 435
Antoulinakis, E.G., 47
Aparna, K., 158
Arnold, F.P., Jr., 647
Aumann, R., 322

Bakola-Christianopoulou, M., 530
Baldoli, C., 376, 399
Bannenberg, T., 640
Baratta, W., 511
Barnes, C.E., 561
Beauchemin, A., 702
Beckhaus, R., 81
Bhadbhade, M.M., 709
Bianchini, C., 233
Bildstein, B., 28
Bleuel, E., 502
Böhm, V.P.W., 616
Britovsek, G.J.P., 546
Butenschön, H., 412

Caballero, A., 395
Caddick, S., 635
Cadierno, V., 261
Carty, A.J., 696
Casey, C.P., 723
Caulton, K.G., 56
Cavell, K.J., 546
Cavell, R.G., 158
Chan, M.C.W., 133
Charette, A.B., 702
Che, C.-M., 133
Chen, J., 292
Chen, J.C.C., 364
Clentsmith, G.K.B., 635
Cloke, F.G.N., 635
Cowley, A.H., 105
Cronje, S., 170

Davies, H.M.L., 47
Davis, W.M., 495
Dechert, S., 588
de Kanter, F.J.J., 311
Del Zotto, A., 511
de Meijere, A., 318
Demtschuk, J., 588
Denk, M.K., 242, 737
des Abbayes, H., 483
Díez-Barra, E., 395
Dölker, N., 225
Dötz, K.H., 119
Doyle, K.O., 269
Doyle, M.P., 98
Durand-Réville, T., 571
Dvorák, D., 329

Eisch, J.J., 148
Ekkehardt Hahn, F., 629
Enders, D., 70
Ephritikhine, M., 744

Fátima, M., 65
Fehlhammer, W.P., 530
Ferguson, G., 671
Filippou, A.C., 656
Fischer, H., 464
Foerstner, J., 412
Försterling, F.H., 561
Fränkel, R., 530
Frenking, G., 225
Fröhlich, R., 322, 629, 640

Galardon, E., 360
Gallagher, M.L., 269
Gamasa, M.P., 261
Gehrhus, B., 209
Gemel, C., 301
Gibson, V.C., 546
Gielen, H., 70
Gimeno, J., 261
Glanz, M., 588
Goddard, R., 412
Görls, H., 280
Gottfriedsen, J., 588
Graiff, C., 399
Grosche, M., 616
Gruber, I., 288
Grzegorzewski, A., 640
Gstöttmayr, C.W.K., 616
Gudat, D., 383
Guedes da Silva, C., 65
Gulea, M., 360
Gupta, S., 242

Haase, W.-C., 119
Hagen, K.S., 709
Haghverdi, A., 383
Hampel, F., 473
Hazra, D., 709
Herdtweck, E., 511
Herrmann, W.A., 616
Hitchcock, P.B., 635
Hofmann, P., 288
Hossain, M.M., 751
Hsung, R., 182
Huy, N.H.T., 748

Ishiyama, T., 453
Iwasawa, N., 741

Jafarpour, L., 17
Jäkel, C., 119
Jalón, F.A., 395
Jankowski, C., 656
Jaouen, G., 376
Jayaprakash, K.N., 709
Jepsen, A.S., 520
Jeske, J., 423
Jiang, W., 182
Joneleit, S., 464
Jones, P.G., 423

Kakoschke, A., 412
Kamalesh Babu, R.P., 158
Karl, C.C., 464
Kavana, M., 723
Kernbach, U., 530
Kirchner, K., 301
Kishishita, M., 453
Kraft, S., 723
Kraut, N., 473
Kühn, M., 629
Kusama, H., 741

Labahn, T., 318
Lai, S.-W., 133
Lam, H.-W., 133
Lammertsma, K., 311
Landman, M., 280
Lappert, M.F., 209
Lee, K.-M., 364
Le Gall, N., 483
Licandro, E., 376, 399
Lin, I.J.B., 364
Lin, Y.-C., 141
Li, Y., 671
Lotz, S., 280
Lough, A.J., 242
Luart, D., 483
Lugan, N., 681
Lügger, T., 629
Lutz, M., 311

Maas, G., 339
Magill, A.M., 546
Maiorana, S., 376, 399
Mantovani, N., 233
Mar Díaz-Requejo, M., 110
Martín-Vaca, B.M., 261
Marvelli, L., 233
Masson, S., 360
Mathey, F., 748
Mathieu, R., 681
Matsubara, S., 39
Matsushima, Y., 601
Mayer, D., 339
McAlees, A.J., 671
McCrindle, R., 671
McDonald, F.E., 444

PII: S0022-328X(00)00913-X

McGuinness, D.S., 546
McKerrecher, D., 635
Mereiter, K., 301
Merino, S., 395
Miyoshi, K., 453
Mizuta, T., 453
Moinet, C., 530
Moretó, J.M., 334
Moro-oka, Y., 254
Müller, S., 318
Musashi, H., 254

Nakanishi, S., 254
Nakazawa, H., 453
Nieger, M., 383
Nolan, S.P., 17
Nöth, H., 530

Odom, A.L., 495
Onitsuka, K., 601
Oshima, K., 39

Padwa, A., 3
Parisi, M., 182
Paul-Roth, C., 360
Pavlik, S., 301
Peng, S.-M., 133
Perdicchia, D., 399
Pérez, P.J., 110
Peruzzini, M., 233
Plaia, U., 530
Pombeiro, A.J.L., 65
Ponikwar, W., 530
Portius, P., 656
Powell, D.R., 723
Powers, T.S., 182
Priemer, S., 423
Pryce, M.T., 269
Puranik, V.G., 709

Quinn, J., 182

Rabier, A., 681
Rahm, A., 182
Raubenheimer, H.G., 170
Reddy, K.S., 444
Reisinger, C.-P., 616
Rheingold, A.L., 182
Ricard, L., 748
Ricart, S., 334
Rigo, P., 511
Rodezno, J.M., 242, 737
Romerosa, A., 233
Rominger, F., 288
Rooney, A.D., 269
Rosenberger, C., 495
Rossi, R., 233
Roths, K., 322
Rotrekl, I., 329
Rozhenko, A.J.B., 435
Rudler, H., 571
Rust, J., 412

Saitou, M., 741
Salaün, J.-Y., 483
Salmain, M., 376
Samanta, U., 709
Santamaría, C., 81
Sarkar, A., 709
Schakel, M., 311
Schmid, R., 301
Schobert, R., 346
Schoelier, W.W., 435
Schrock, R.R., 495
Schumann, H., 588
Seidel, S.W., 495
Shih, K.-Y., 495
Shi, Y., 182
Simonneaux, G., 360
Skelton, B.W., 546
Slugovc, C., 301
Spek, A.L., 311
Sterenberg, B.T., 696
Straub, B.F., 288
Streubel, R., 423
Sun, J., 292
Suter, M., 530

Takahashi, S., 601
Tamm, M., 640
Tejeda, J., 395
Templeton, J.L., 520
Timmons, D.J., 98
Tiripicchio, A., 399
Titcomb, L.R., 635
Toupet, L., 483
Tran-Huy, H., 376

Utimoto, K., 39

Vandais, A., 744
Villiers, C., 744
Vlaar, M.J.M., 311
Vogeley, N.J., 520
Volland, M.A.O., 288
Vuano, S., 511
Vyklický, L., 329

Wang, Q., 751
Wang, R., 292
Wang, Y., 133
Wartchow, R., 412
Weberndörfer, B., 502
Weißenbach, K., 464
Weiss, R., 473
Werner, H., 502
Weskamp, T., 616
White, A.H., 546
White, A.J.P., 546
White, P.S., 520
Williams, D.J., 546
Williams, M.R.V., 635
Wittenbecher, L., 629
Wu Jiang, X., 182
Wulff, W.D., 182

Yamazaki, H., 601
Yap, G.P.A., 182

Zang, E., 671

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 617–618 (2001) 757–766

Journal of Organometallic Chemistry

Subject Index of Volumes 617–618

π-Acceptor ligands
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
Acetylacetonate complexes
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, 502
Acyl anion equivalent
Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329
Adduct
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
Alkaline earth compounds
Metallocenes of the alkaline earth metals and their carbene complexes, 588
Alkene complexes
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
Alkenyl complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
Alkylation
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
Alkylidene
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M=CXR and $X_2M{\equiv}CR$, 56
Alkylidyne
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M=CXR and $X_2M{\equiv}CR$, 56
Alkyne
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
Alkyne cyclopropenation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Alkynyl alcohols
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444
Alkynyl carbene complexes
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
Alkynyl complexes
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
Allene
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
Allenyl
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
Allenylidene
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233
Allyl complexes
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
Aluminum
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
Aminal
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Aminations
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635
Amino acids
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
Aminocarbene
Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329
Aminocarbene complexes
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
Tethering strategies in alkynylamino carbene complexes, 334
Aminocarbyne
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65
Aminolysis
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
Aminophosphinidene
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
Application in organic synthesis
Chemistry of thermally stable bis(amino)silylenes, 209

PII: S0022-328X(00)00914-1

Arene chromium complexes
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709
Arsenidenes
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
Aryl carboxamides
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709
Aryllithium reagents
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, 292
Asymmetric catalysis
Catalyst selection for metal carbene transformations, 98
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
Asymmetric synthesis
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119
Azaallenylidene
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640

Bioorganometallics
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, 376
Biscarbene complexes
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
Bond heterolysis
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
Bridging bis(phosphorus) metal carbenes
Early transition metal and lanthanide bis(iminophosphorano)-methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes, 158
Bridging carbene complexes
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, 292

Carbamoyl
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[=C(NR_2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, 483
η^2-Carbamoyl
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[=C(NR_2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, 483
Carbene
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
Carbenes with ferrocenyl substituents, 28
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[=C(NR_2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, 483
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Carbene analogues
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
Carbene anion
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=\}$, 681
Carbene complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=\}$, 681
Carbene complexes
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
Carbene complexes of titanium group metals — formation and reactivity, 81
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M=CXR and $X_2M{\equiv}CR$, 56
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119
Metallocenes of the alkaline earth metals and their carbene complexes, 588
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, 502
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, 225
Carbenes
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17

Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, 511
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Carbene transfer agents
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
Carbenoids
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
Carbenoid species
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744
Carbiminium carbonylmetalates
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
Carbohydrate glycals
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444
Carbohydrates
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119
Carbon monoxide
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
Carbon–oxygen coupling
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[=C(NR_2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, 483
Carbonyl insertion
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
Carbyne complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=\}$, 681
Carbyne complexes
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656
Catalysis
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
Catalyst
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
C–C cleavage
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
CC-coupling
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
C–C-couplings
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
C-Glycosidation
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119
C–H activation
Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47
Chelated Fischer carbene complexes
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Chelate Fischer carbenes
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
C–H insertion
Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329
Chiral catalysts
Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47
Chiral imidazolinylidenes
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
Chiral triazolinylidenes
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
Chloroaminophosphido
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
Chromium
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Chromium and tungsten complexes
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
Chromium carbenes
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269
Cluster family
Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), 561
Conjugated carboxylic acids
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
Coordination chemistry
Chemistry of thermally stable bis(amino)silylenes, 209

Coupling reactions
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635
Crystal structure
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
Crystal structures
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)\text{-}C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, 292
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(*C*H_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
Cyanide
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65
Cyclobutenylidene complexes
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
Cyclometalation
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, 511
Cyclopentadienyl
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
Cyclopentadienyl complexes
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656
Cyclopropanation
Catalyst selection for metal carbene transformations, 98
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, 751
Cyclopropanes
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
Cyclopropenation
Cyclopropenation of organometallic vinylidene complexes, 141
Cyclopropenylium
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640

Deoxygenation
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
DFT calculations
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Diaminophosphenium unit
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435
Diastereoselectivity
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, 751
Diazocarbonyl
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
Diazo compound
Catalyst selection for metal carbene transformations, 98
Diazo compounds
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339
Dibenzotetraazafulvalene
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
2,3-Dihydro-1*H*-imidazol-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
2,5-Dihydro-1*H*-pyrazol-5-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
2,5-Dihydro-isothiazol-5-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
Dihydronicotines
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
Dihydrophospholium
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
Dihydropyridines
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
1,2-Dihydro-pyridin-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
2,3-Dihydro-thiazol-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, 170
Diiron
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)\text{-}C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, 292
Dimetal
Bis(iodozincio)methane — preparation, structure, and reaction, 39
Dirhodium(II) carboxamidates
Catalyst selection for metal carbene transformations, 98
Diruthenium bridging alkylidene complexes
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on $Cp_2Ru_2(\mu\text{-}CH_2)(\mu\text{-}CHR)(CO)_2$ (R = H, Me), 254
Disaccharide synthesis
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444
Ditertiobutyl ketone
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744
1,2-Dithiolato ligands
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

Donor-acceptor complex
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435
Double bond
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
Double helicates
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364

Electrochemistry
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65
Electrophiles
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
Electrophilic
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Enamines
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
Enantiomer
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
Enynes
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
EXAFS
Bis(iodozincio)methane — preparation, structure, and reaction, 39

Fe
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
Ferrocene
Carbenes with ferrocenyl substituents, 28
Fischer carbene complexes
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709
Fischer-type carbene complexes
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339
Fischer-type carbenes
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, 376
Flash photolysis
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269

Glycosylidenes
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119

2*H*-Azaphosphirene complexes
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
Heck reactions
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
Heterocumulene
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-aza-ethenylidene ligand, 640
Heterocyclic carbene complexes
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
Heterocyclic carbenes
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
Heterocyclic compounds
Cyclopropenation of organometallic vinylidene complexes, 141
Heterogeneous catalysis
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Homogeneous catalysis
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Homogenous catalysis
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288
Homoleptic carbene complexes
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530
Hydrazides
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
Hydrazino carbenes
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
Hydrazone complexes
Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), 561
Hydridotris(3,5-dimethylpyrazolyl)borate
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Hydrido-trispyrazolylborate
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
Hydrogenase
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Hydrogenation
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Hydrogen–deuterium exchange
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Hydrolysis
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Hydroxycarbene
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233
Hydroxyvinylidene
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233

Imidazaolidinone
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Imidazol-2-ylidene
1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395
Imidazol-2-ylidenes
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Immobilized triazolium salts
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
Indenyl
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
Insertion
Catalyst selection for metal carbene transformations, 98
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
Interligand H-exchange
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on $Cp_2Ru_2(\mu\text{-}CH_2)(\mu\text{-}CHR)(CO)_2$ (R = H, Me), 254
Iron
Carbenes with ferrocenyl substituents, 28
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[=C(NR_2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, 483
Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329
Iron carbene
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, 751
Isocyanide
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65

Lanthanide bis(iminophosphorano)methandiide
Early transition metal and lanthanide bis(iminophosphorano)-methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes, 158
Lithium diisopropylamide
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, 748
Low-valent titanium reagents
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744

Macromolecules
Tethering strategies in alkynylamino carbene complexes, 334
Manganese
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2\text{-}(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)\text{-}C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CH\text{-}CHCH(Ph)N(Ph)C=\}$, 681
Matrix isolation
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269
McMurry reaction
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744
Mechanism
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Mercury
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364
Metal carbene
Catalyst selection for metal carbene transformations, 98
Metal-labelled proteins
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, 376
Metallacycles
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
Metallahexatrienes
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
Metallation
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, 748
Metal–ligand multiple bonding
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
Metallocenes
Metallocenes of the alkaline earth metals and their carbene complexes, 588
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
Metathesis
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288
Methylene
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Methylidene
Carbenes with ferrocenyl substituents, 28
Methylidene complexes
Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), 561
Migration
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
Migratory insertion
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
Molybdenum
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495

Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
N-heterocyclic carbene
Carbenes with ferrocenyl substituents, 28
N-heterocyclic carbenes
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
Nitronyl nitroxides
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
Nucleophilic additions
Tethering strategies in alkynylamino carbene complexes, 334
Nucleophilic carbenes
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70

Olefin aziridination
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Olefin cyclopropanation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Olefin epoxidation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
Organometallic vinyldiene complexes
Cyclopropenation of organometallic vinylidene complexes, 141
Organosilicon chemistry
Chemistry of thermally stable bis(amino)silylenes, 209
Oxazolidinone
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Oxidative coupling
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2\text{-}(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)\text{-}C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CH\text{-}CHCH(Ph)N(Ph)C=\}$, 681
Oxygen
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242

Palladium
Bis(iodozincio)methane — preparation, structure, and reaction, 39
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
Palladium complexes
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635
Palladium(II) complexes
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
Pentamethylferrocene
Carbenes with ferrocenyl substituents, 28
Phosphenium complex
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
Phosphenium complexes
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
Phosphido
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
Phosphine complexes
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, 502
Phosphines
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
Phosphinidene
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
Phosphinidenes
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
Phosphorus
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
Photochemical C–H bond activation
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on $Cp_2Ru_2(\mu\text{-}CH_2)(\mu\text{-}CHR)(CO)_2$ (R = H, Me), 254
Photoluminescence
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Planar chiral
Synthesis and characterization of planar-chiral cyclopentadienylruthenium–vinylidene complexes, 601
Platinum
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
Porphyrins
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360

Propargyl alcohols
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233
Proton affinities
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
Protonation
Coordination chemistry of CNH_2, the simplest aminocarbyne, 65
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Pyridine
1,1′-(Pyridine-2,6-diyl)
bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395
Pyridinium ylid complexes
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571

Quantum chemical study
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, 225

Reaction pathways
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, 225
Reactions
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)\text{-}C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\text{-}\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, 292
Reactivity
Carbene complexes of titanium group metals — formation and reactivity, 81
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311
Rhenium
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
Rhodium
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, 502
Rhodium carbenoid
Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47
Rhodium(II)
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
Ring cleavage
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, 748
Ring-closure
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
Ruthenium
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, 511
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
Ruthenium complexes
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, 225

Samarium
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
Schrock type
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435
Sensors
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
Sigmatropic
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360
Silane reduction
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
Silicon migration
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
Silver
1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395
Silylenes
Chemistry of thermally stable bis(amino)silylenes, 209
Silylene transition metal complexes
Chemistry of thermally stable bis(amino)silylenes, 209
Silyl-substituted Fischer-type carbene complexes
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
Silyl triflates
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339

Simmons–Smith
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
π Stacking
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, 751
Stannylene
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
Stannylene complex
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
Stibine complexes
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, 502
Substitution
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
Supramolecules
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364

Thermochemistry
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
Thioformaldehyde
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Thiophene derivatives
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
Titanium
Bis(iodozincio)methane — preparation, structure, and reaction, 39
Titanium group metals
Carbene complexes of titanium group metals — formation and reactivity, 81
Transition metals
Early transition metal and lanthanide bis(iminophosphorano)-methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes, 158
Transition-state
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, 751
Tricarbene chelating ligands
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530
Triphos ligand
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, 233
Tungsten
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
Tungsten alkyl complexes
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
Tungsten Aryl complexes
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
Tungsten vinylidenes
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444

α,β-Unsaturated carbene complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
Unsaturated phosphorus heterocycles
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311
Urea
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242

Vinyl carbenoid
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
Vinylidene complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2(EtO)C=\}$, $(E)\text{-}\{Cp'(CO)_2Mn\}_2\{\mu=C(OEt)CH=CH(EtO)C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=\}$, 681
Vinylidene complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
Vinylidenes
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, 511

X-ray structures
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530

Metallocenes of the alkaline earth metals and their carbene complexes, 588

Ylide

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

Zinc

Bis(iodozincio)methane — preparation, structure, and reaction, 39

Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702